

## Item description

Specifically configured as a Web browser, the Web Panel directly connects to controllers with their own Web servers. The CODESYS 2.3 Web visualization has been specially optimized for the Web Panel.

### Software configuration:

- Internet browser
- Java Virtual Machine
- Panel configuration software

## Data

### Technical data

Display diagonal	14.5 cm (5.7 Inches)
Display	CSTN
Display colors	4096 colors
Graphics resolution	(320 x 240) px
Contrast ratio	35:1
Viewing angle (horizontal/vertical)	-10° ... 30° / -30° ... 30°
Brightness	350 cd/m <sup>2</sup>
HBT (Half Brightness Time)	50,000 h

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Visualization	Web Visu
Communication	Modbus (TCP, UDP) ETHERNET Modbus® RTU CANopen
Operating system	Windows CE
Processor	32-bit ARM9 200 MHz
Main memory (RAM)	64 MB
Internal memory (flash)	64 MB
Memory	1 MB
Memory card type	SD card (max. 2 GB)
Baud rate	ETHERNET: 10/100 Mbit/s
Controls	Touch, analog, resistive
Supply voltage	24 VDC (18 ... 30 V)
Max. input current (24 V)	250 mA
Operating power	8 W ... 12 W

### Connection data

Connection technology: communication/fieldbus

Modbus TCP: 1 x RJ-45; Modbus RTU: 1 x D-sub 9 plug; CANopen: 1 x RJ-45; RS-232 serial interface: 1 x D-sub 9 plug; RS-232 + RS-485 serial interface: 1 x D-sub 9 plug; USB: 2 x USB 2.0 host (type A)

### Physical data

Width	208 mm / 8.189 inch
Height	150 mm / 5.906 inch
Depth	42 mm / 1.654 inch
Panel cutout (W x H)	(198 x 140) mm

### Mechanical data

Weight	570 g
Front panel	Plastic, polyester film
Housing material	plastic
Conformity marking	CE

### Environmental requirements

Surrounding air temperature (operation)	0 ... 50 °C
Surrounding air temperature (storage)	-10 ... 60 °C
Protection type	IP65

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.


Note on protection type	IP65 (front side); IP20 (rear side)
Relative humidity (without condensation)	85 %
Mounting type	4 x clamping elements

### Commercial data


PU (SPU)	1 Stück
Packaging type	box
Country of origin	DE
GTIN	4050821396888
Customs tariff number	8471410000

### Approvals / Certificates

#### Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	KC National Radio Research Agency	Article 58-2, Clause 3	MSIP- REM-W43- WBP762

#### UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	UL UL International Germany GmbH (ORDINARY LOCATIONS)	UL 508	E175199 Sec.9

### Downloads

#### Documentation

##### Manual

PERSPECTO® WP, Web Panel WP 57 QVGA	V 1.4.1	pdf 1.0 MB	Download
--	---------	---------------	----------

##### Bid Text

762-1057 X81 - Datei	2019. 2. 19.	xml 5.0 kB	Download
762-1057	2015. 5. 8.	doc	Download

Subject to changes. Please also observe the further product documentation!



---

doc - Datei	27.6 kB
-------------	---------

---

#### Instruction Leaflet

Gebrauchs- und Montageanleitung	pdf 1.6 MB	Download
---------------------------------	---------------	----------

---

#### Additional Information

Disposal; Electrical and electronic equipment, Packaging	V 1.0.0	pdf 265.8 kB	Download
--	---------	-----------------	----------

---

#### System Description

Operation and Monitoring – General Product Information	pdf 795.2 kB	Download
--	-----------------	----------

---

#### CAD/CAE-Data

##### CAE data

WSCAD Universe 762-1057	URL	Download
-------------------------	-----	----------

---

ZUKEN Portal 762-1057	URL	Download
-----------------------	-----	----------

---

##### CAD data

2D/3D Models 762-1057	URL	Download
-----------------------	-----	----------

---

#### Environmental Product Compliance

##### Compliance Search

Environmental Product Compliance 762-1057 Web Panel; 14.5 cm (5.7""); 320 x 240 pixels	URL	Download
---	-----	----------

---

#### Installation Notes

Subject to changes. Please also observe the further product documentation!



## Product family

### PERSPECTO

Dem Control-Panel spendierte WAGO zusätzlich zur HMI eine PLC-Runtime. Das Ergebnis ist ein vollwertiges Automatisierungsgerät.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!